		ETY DATA SHEET	
MSDS NUMBER: 0-11 PART NUMBER: 41-0 PRODUCT NAME: Hytrax Hydraulic, Transmission ar CAS NUMBER:0 CHEMICAI NAME: Mixture CHEMI	nd Axle Fluid SAE 10	0,30,50	
CHEMICAL NAME: Mixture CHEMI	SECTI	ION I	
MANUFACTURER: Hydrotex			
ADDRESS: 12920 Senlac Drive Farmers Branch, TX 75234		HEALTH: 0 FIRE: 1 REACTIVITY: 0 PERSONAL PROTECTION: B	HEALTH /\ FIRE 0 / 1 /\ \ / / / / // // PEC. HAZ.\ / REACT.
EMERGENCY TELEPHONE NUMBER: (800)424-9300			
INFORMATION TELEPHONE NUMBER: (972)389-8500			
DATE PREPARED: 01/22/2008		V	
SECTION 1	II - HAZARDOUS INGRE	EDIENTS/IDENTITY INFORMATION	
CAS NUMBER HAZARDOUS COMPONENT	SUB- SARA OTHER LIM IARC PART/Z 313 OSHA PEL ACGIH TLV RECOMMEND	ITS ED PERCENT	
8012-95-1 Oil mist, mineral	N	N N N 5 mg/m3 5 mg/m3	NI
SECTI	ON III - PHYSICAL/O	CHEMICAL CHARACTERISTICS	
		SPECIFIC GRAVITY (H2O = 1)	
VAPOR PRESSURE (mm Hg.)	N/A	MELTING POINT	N/A
VAPOR DENSITY (AIR = 1)	N/A	EVAPORATION RATE (Butyl Acetate = 1)	+   N/A
SOLUBILITY IN WATER: nil			
APPEARANCE AND ODOR: Blue Liquid, Slight Odor			
OTHER INFORMATION: The individual components as	e not known carcino	ogens and the product is not considered toxic. I ot contain any chemicals listed in Section 313 o	ts formulation is a
All components of this material are on the US			
SEC	TTON IV - FIRE AND	EXPLOSION HAZARD DATA	
FLASH POINT: 450-485 deg F. COC		FLAMMABLE LIMITS: LEL: NI UEL: NI	
EXTINGUISHING MEDIA: Dry Chemical, Foam, CO2 ar		3	
SPECIAL FIRE FIGHTING PROCEDURES: Cool containe	ers exposed to heat		
UNUSUAL FIRE FIGHTING PROCEDURES: Expansion of	overheated contains		
	SECTION V - RE		
STABILITY: Stable			
INCOMPATIBILITY (MATERIALS TO AVOID): Strong Ox	xidizers		
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Oxides of Carbon and Nitrogen, Phosphorus, Sulfur			

HAZARDOUS POLYMERIZATION: Will Not Occur

SECTION VI - HEALTH HAZARD DATA

 ${\tt ROUTE}\,({\tt S})\ {\tt OF}\ {\tt ENTRY:}\ {\tt Inhalation}\ ({\tt mist}\ {\tt only})$ 

Skin Ingestion

HEALTH HAZARDS (ACUTE AND CHRONIC): None Known

MSDS NUMBER: 0-11 Page: 2

PRODUCT NAME: Hytrax Hydraulic, Transmission and Axle Fluid SAE 10,30,50

SECTION VI - HEALTH HAZARD DATA (Continued)

SIGNS AND SYMPTOMS OF EXPOSURE: Eye contact: May cause temporary irritation and redness. No permanent injury expected

Skin contact: Frequent or prolonged contact may irritate and cause dermatitis. Occasional brief contact will not result in significant irritation. Skin contact may aggravate an existing dermatitis condition.

Inhalation: High vapor concentrations (greater than 1,000 ppm) may be irritating to respiratory passages. Prolonged exposure may cause headaches, dizziness, nausea, or narcosis.

Ingestion: May result in nausea, vomiting, or catharsis. Harmful if aspirated into the lungs during ingestion or vomiting.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NI

EMERGENCY AND FIRST AID PROCEDURES: Eye contact: Flush eyes with large amounts of water until irritation subsides. If irritation persists, seek medical attention.

Skin Contact: Wash thoroughly with soap and water. Remove contaminated clothing and launder before reuse.

Inhalation: Remove affected person to fresh air. If symptoms persist, seek medical attention.

Ingestion: If swallowed, do not induce vomiting. If symptoms of overexposure persist, seek medical attention.

OTHER HEALTH WARNINGS: NI

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Ventilate area if ventilation inadequate. Ventilate to comply with

exposure limitations. Remove sources of ignition. Contain spills with dikes or absorbents to prevent migration and entry into sewers or streams. Take up small spills with absorbents. Large spills may be taken up with pump or vacuum.

WASTE DISPOSAL METHOD: Dispose of recovered material or absorbent material as an industrial waste in a manner acceptable to good waste management practice and in compliance with applicable local, state and federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Where contact is likely, long sleeves and chemical resistant gloves. Where eye contact may occur, wear safety glasses with side shields. Where concentrations in air may exceed stated limits and there is inadequate ventilation.

OTHER PRECAUTIONS: N/A

SECTION VIII - CONTROL MEASURES

VENTILATION REQUIREMENTS: Adequate ventilation to maintain a level of concentration below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT: Longs sleeves, Chemical Resistant Gloves, Safety Glasses with side shields.

SECTION IX - ADDITIONAL INFORMATION

ADDITIONAL MANUFACTURER WARNINGS: This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No warranty is made, either express or implied.

OTHER PRECAUTIONS AND COMMENTS: Department of Transportation:

Hazard Class: Not Regulated

Dot ID No. : N/A