SECTION 1: Identification of the substance/mixture and of the company/undertaking

 1.1. Product identifier

 Product Name:
 STARFIRE FULL SYNTHETIC MULTI-VEHICLE ATF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Automatic Transmission FluidRecommendedNot applicablerestrictions:Image: Commended

1.3. Details of the supplier of the safety data sheet

nts Plus, Inc.
Van Hook Ave.
ton, OH. 45015
88-258-8723

1.4. Emergency telephone number

1.4. Emergency telephone num	
Emergency phone number:	CHEMTREC: +1 (800) 424-9300
	International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Skin Sensitisation Category 1

2.2. Label elements GHS Hazard Symbols



Signal Word Hazard Statements	Warning May cause an allergic skin reaction.
Precautionary Statements	
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
•	P321 - Specific treatment (see section 4).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
Disposal	P501- Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3. Other hazards	
Hazards not otherwise classified:	Avoid prolonged or repeated skin contact with used fluid.

Unknown Acute Toxicity 16.218356 % of the mixture consists of ingredient(s) of unknown toxicity. **(Gas):**

SECTION 3: Composition	n/information on	ingredients		
Chemical Name	9	%	CAS #	GHS Classification
Lubricating oils (petroleum), C20-5	0, hydrotreated neutral 3	30 - 60	72623-87-1	Acute Tox. 4; H332
oil-based				Acute Tox. 3; H331
Lubricating oils (petroleum), C15-3	0, hydrotreated neutral 1	15 - 40	72623-86-0	Acute Tox. 4; H332
oil-based				Acute Tox. 3; H331
Components not listed are not phys	sical or health hazards as o	defined in 29 CFR	1910.1200 (Ha	zard Communication Standard).
SECTION 4: First aid m	easures			
4.1. Description of first aid m	easures			
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.			
Eyes	None expected to be	e needed, howeve	er, use an eye	wash to remove a chemical from your eye
•	regardless of the leve		•	
Skin Contact	5		cal attention in	f irritation develops or persists.
Ingestion	-			vomiting. Seek medical attention immediately.
8	Provide medical care			
4.2. Most important symptom		1		
Symptoms	Not determined			
4.3. Indication of any immedi	ate medical attention	and special trea	tment needed	d
Note to Doctor	No additional first ai	-		_
SECTION 5. Einstightin				
SECTION 5: Firefightin	g measures			
5.1. Extinguishing media Suitable and Unsuitable				chemical when fighting fires. Water or foam may

citi Estinguisting mean	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising from	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon dioxide, Carbon monoxide
Products	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

No data available.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities
Store in a cool dry place. Isolate from incompatible materials.
Incompatible materials
See Section 10.
7.3. Specific end use(s)
Automatic Transmission Fluid

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	_	-	
Chemical Name		Occupational Exposure Limits	Value
Lubricating oils (petroleum), C2	20-50,	OSHA PEL	5 mg/m3
hydrotreated neutral oil-based			
Lubricating oils (petroleum), Cl	5-30,	OSHA PEL	5 mg/m3
hydrotreated neutral oil-based			
Oil mist, mineral		OSHA PEL	5 mg/m3
Lubricating oils (petroleum), C2	20-50,	ACGIH TLV-TWA	5 mg/m3
hydrotreated neutral oil-based			
Lubricating oils (petroleum), Cl	5-30,	ACGIH TLV-TWA	5 mg/m3
hydrotreated neutral oil-based			
Oil mist, mineral		ACGIH TLV-TWA	5 mg/m3
Lubricating oils (petroleum), C2	20-50,	ACGIH STEL	10 mg/m3
hydrotreated neutral oil-based			
Lubricating oils (petroleum), Cl	5-30,	ACGIH STEL	10 mg/m3
hydrotreated neutral oil-based			
Oil mist, mineral		ACGIH STEL	10 mg/m3
None.		IDLH	
None.		OSHA PEL-Skin Notation	
8.2. Exposure controls			
Engineering Measures		exhaust ventilation or other engineering cont	rols to minimize exposures and maintain
	operator c		
Respiratory Protection			xposure when handling this product. General
		chaust ventilation is the preferred means of p	
		n is not available or sufficient to eliminate sy	1
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the		
		e exposure limits, use NIOSH/MSHA approv	ed respiratory protection.
Eye Protection		l requirements under normal industrial use.	
Skin Protection		e can result in skin contact, practice good per	
	Wash han	ds and other exposed areas with mild soap ar	nd water before eating, drinking, and when

Gloves

SECTION 9: Physical and chemical properties

leaving work.

Polyvinyl chloride, Impervious rubber

9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Color	Red	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	Not determined	
Boiling Point	Not determined	
Flash Point (°C)	204	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Flash Point Method	COC	
Evaporation Rate	Not determined	
Upper Flammable/Explosive	Not established	
Limit, % in air		
Lower Flammable/Explosive	Not established	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	Not determined	
Vapor Density	Not determined	
Relative Density	0.85	
Solubility in Water	Negligible; 0-1%	
Octanol/Water Partition	Not determined	
Coefficient		
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Viscosity(°C)	33.64	
9.2. Other information		
Volatiles, % by weight	0.000000	

SECTION 10: Stability and reactivity

v	
10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.
reactions	
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous	Carbon dioxide, Carbon monoxide
decomposition products	
_	

SECTION 11: Toxicological information

11.1. Information on toxicolog	ical effects
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin
	irritation, defatting, and dermatitis.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal industrial use.
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of $<3\%$ PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause
Developmental Toxicity	birth defects.
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
toxicity-Single exposure	
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
toxicity-Repeated exposure	
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

National Toxicity Program (NTP) Status

Not applicableKnown Human CarcinogenNot applicableReasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity

12.1. I omercy	
Acute Aquatic ecotoxicity:	Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity:	Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradab	ility
Does not biodegrade readily.	
12.3. Bioaccumulative potentia	l
Bioconcentration is not expected	to occur.
12.4. Mobility in soil	
This material is expected to have	essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB	assessment
No data available.	
12.6. Other adverse effects	
Not determined	

SECTION 13: Disposal considerations

13.1. Waste treatment methods
Disposal Methods
Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.
Waste Disposal Code(s)
Waste Description for Spent Product
Spent or discarded material is non-hazardous according to environmental regulations.
Contaminated packaging:
Recycle containers whenever possible.
Recycle containers whenever possible.
Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description**

SECTION 15: Regulatory information

Chemical Inventories						
TSCA Status	All components of this material are on the US TSCA Inventory or are exempt.					
U.S. State Restrictions:	Not applicable					
WHMIS:	Uncontrolled product according to WHMIS classification criteria					
Chemical Name	Regulation	CAS#	%			
None.	CERCLA					
None.	SARA 313					
None.	SARA EHS					
None.	TSCA 12b					
<u>U.S. State Regulations</u> Chemical Name	Regulation	CAS #	%			

Chemical Name None.	0	lation ornia Prop 65-	CAS #		%
Sulfur dioxide	Cance	-	7446-09-5		0.001-0.01
	Toxic	-	,		
None.		ornia Prop 65-			
		od -fem			
None.		ornia Prop 65-			
Mineral oil, petroleum distillat	-	od-male achusetts RTK List	64742-53-6		1 - 5
hydrotreated light naphthenic	103, 101a55	cilusetts KTK List	04742 55 0		1 5
None.	New .	Jersey RTK List			
None.		ylvania RTK List			
None.		e Island RTK List			
None.		esota Hazardous			
	Subst	ance List			
	HMIS Ratin	<u>gs:</u>	NFPA Ratings:		
	Health:	1	Health:	1	
	Fire:	1	Fire:	1	
	Reactivity:	0	Reactivity:	0	
	PPE:	В			
KEY: 0	- Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme

SECTION 16: Other information

SECTION 10: OU	ier information			
Revision Date	12/16/2015 9:04:52 AM			
Supersedes:	11/3/2015 10:21:04 AM			
References	ACGIH: American Conference of Governmental Industrial Hygienists			
	AIHA: American Industrial Hygiene Association			
	CFR: Code of Federal Regulations			
	DOT: United States Department of Transportation			
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals			
	HMIS: Hazardous Materials Identification System			
	IARC: International Agency for Research on Cancer			
	IATA: International Air Transportation Association			
	IDLH: Immediately Dangerous to Life or Health			
	IMDG: International Maritime Dangerous Goods			
	NFPA: National Fire Protection Association			
	NIOSH: National Institute for Occupational Safety and Health			
	NTP: National Toxicology Program			
	OSHA: Occupational Safety and Health Administration			
	PEL: Permissible Exposure Limit			
	RTK: Right-to-Know			
	SARA: Superfund Amendments and Reauthorization Act			
	STEL: Short-term Exposure Limit			
	TLV: Threshold limit value			
	TSCA: Toxic Substances Control Act			
	TWA: Time weighted average			
	UN: United Nations			
	WHMIS: Workplace Hazardous Materials Information System			
Disclaimer	This safety data sheet and the information it contains is offered to you in good faith as accurate. We			
	have reviewed any information contained in the data sheet which we have received from outside			
	sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness.			
	Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations.			
	It is the user's obligation to evaluate and use this product in a safe manner and to comply with all			

SECTION 16: Other information

applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.