



The Smart Choice. The Right Choice.

PRODUCT OFFERING

Elevate Your Workspace

WITH OUR NEW OFFICE FURNITURE COLLECTION

From North Carolina Correction Enterprises



To Get a Price Quote or Place an Order:

Call us at 800.241.0124 or 919.716.3600 | Email us at eporders.orders@dac.nc.gov

Visit www.correctionenterprises.com

\$550 installation fee on most orders

TABLE OF CONTENTS

Transpire Casegoods — — — — — — — — — 3

Legion Panel System — — — — — — — — — 10

Task & Conference Seating — — — — — — — — — 11

Trek Flip-Top Tables — — — — — — — — — 12

Pirouette Nesting Tables — — — — — — — — — 13

Toggle Height Adjustable Tables — — — — — — — — — 15

Vini Files — — — — — — — — — — — — — 17

TRANSPIRE CASEGOODS




Refined. Sophisticated. Appealing.

Our executive collection creates upscale environments for intelligent work spaces. With options for surface finishes and edge styles our new line delivers elite distinction for private offices or shared work areas.





TRANSPIRE CASEGOODS

Classic Pedestal Desks



| | MODEL | W x D x H | MODEL NUMBER | | | Approx. Packaged Weight |
|--|--|---------------|--------------|--|--|-------------------------|
| | | | Basic Model | Horizontal Surface Finish | Vertical Surface Finish | |
|  <p>ARSPD</p> | Single Pedestal Desk-Left, Box/Box/File Option B <ul style="list-style-type: none"> Box/box/file pedestal on left Full height modesty panel recessed 2-1/2" for 30" deep desks and 8-3/4" for 36" deep desks Grommets not offered Pedestals feature locks on inside panels Integral pull is standard; use xxx3 for optional pulls Upper box drawer is non-locking | 60 x 30 x 29" | KSPPL6030B.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 220.0# |
| | | 72 x 30 x 29" | KSPPL7230B.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 240.0# |
| | | | | | | |
|  <p>ARPED</p> | Bow Front Single Pedestal Desk-Left, File/File Option C <ul style="list-style-type: none"> File/file pedestal on left Full height modesty panel recessed 8-3/4" for 36" deep desks and 14-3/4" for 42" deep desks Grommets not offered Pedestals feature locks on inside panels Integral pull is standard; use xxx2 for optional pulls | 66 x 36 x 29" | KBSPL6636C.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 235.0# |
| | | 72 x 42 x 29" | KBSPL7242C.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 255.0# |
| | | | | | | |
|  <p>ARSPD</p> | Single Pedestal Desk-Right, Box/Box/File Option B <ul style="list-style-type: none"> Box/box/file pedestal on right Full height modesty panel recessed 2-1/2" for 30" deep desks and 8-3/4" for 36" deep desks Grommets not offered Pedestals feature locks on inside panels Integral pull is standard; use xxx3 for optional pulls Upper box drawer is non-locking | 60 x 30 x 29" | KSPR6030B.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 220.0# |
| | | 72 x 30 x 29" | KSPR7230B.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 240.0# |
| | | | | | | |

Classic Returns

| | MODEL | W x D x H | MODEL NUMBER | | | Approx. Packaged Weight |
|--|--|---------------|--------------|--|--|-------------------------|
| | | | Basic Model | Horizontal Surface Finish | Vertical Surface Finish | |
|  <p>ARPRT</p> | Flush Return-Left, No Pedestal <ul style="list-style-type: none"> Full height back panels over 48" wide feature horizontal wood grain pattern Grommet location center rear 8-1/2" depth clearance is insufficient to support hanging pedestals Mobile and freestanding 19" deep storage units will extend beyond profile edge of unit | 36 x 20 x 29" | KFRL3620.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 70.0# |
| | | 48 x 20 x 29" | KFRL4820.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 75.0# |
| | | 60 x 20 x 29" | KFRL6020.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 80.0# |
|  <p>ARPRT</p> | Flush Return-Right, No Pedestal <ul style="list-style-type: none"> Back panels over 48" wide feature horizontal wood grain pattern Grommet location center rear 8-1/2" depth clearance is insufficient to support hanging pedestals Mobile and freestanding 19" deep storage units will extend beyond profile edge of unit | 36 x 20 x 29" | KFRR3620.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 70.0# |
| | | 48 x 20 x 29" | KFRR4820.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 75.0# |
| | | 60 x 20 x 29" | KFRR6020.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 80.0# |




TRANSPIRE CASEGOODS

Classic Credenzas

| | MODEL | W x D x H | MODEL NUMBER | | | Approx. Packaged Weight |
|--|---|---------------|--------------|---------------------------|-------------------------|-------------------------|
| | | | Basic Model | Horizontal Surface Finish | Vertical Surface Finish | |
|  <p>ARCRD</p> | Double Pedestal Credenzas, File/File Option C | 60 x 20 x 29" | KCDP6020C.H | □□□ | □□□ | 275.0# |
| | | 72 x 20 x 29" | KCDP7220C.H | □□□ | □□□ | 290.0# |
| | <ul style="list-style-type: none"> File/file locking pedestals feature full extension slides | 60 x 24 x 29" | KCDP6024C.H | □□□ | □□□ | 280.0# |
| | <ul style="list-style-type: none"> Full height back panel features horizontal wood grain pattern | 72 x 24 x 29" | KCDP7224C.H | □□□ | □□□ | 295.0# |
| | <ul style="list-style-type: none"> Integral pull is standard; use xxx4 for optional pulls Standard with no grommet Pedestals feature locks on inside panels | | | | | |
|  <p>ARCRD</p> | Credenza-Center Storage and Double File/File Pedestal | 60 x 20 x 29" | KCZ6020C.H | □□□ | □□□ | 270.0# |
| | | 72 x 20 x 29" | KCZ7220C.H | □□□ | □□□ | 290.0# |
| | <ul style="list-style-type: none"> File/file locking pedestals feature full extension slides | 60 x 24 x 29" | KCZ6024C.H | □□□ | □□□ | 290.0# |
| | <ul style="list-style-type: none"> Center storage cabinet | 72 x 24 x 29" | KCZ7224C.H | □□□ | □□□ | 310.0# |
| | <ul style="list-style-type: none"> Full height back panel features horizontal wood grain pattern Integral pull is standard; use xxx6 for optional pulls Standard with no grommet | | | | | |

TRANSPIRE CASEGOODS


Classic Shells


| | MODEL | W x D x H | MODEL NUMBER | | | | | Approx. Packaged Weight |
|--|--|---------------|--------------|---------------------------|-------------------------|-------------------|----------|-------------------------|
| | | | Basic Model | Horizontal Surface Finish | Vertical Surface Finish | Back Panel Height | Grommets | |
|  <p>ARSPD</p> | Desk Shells-24" Option A - Two Full End Panels <ul style="list-style-type: none"> Back panel features horizontal grain pattern Recessed center support panel included with desk shells 78" or wider Optional desk shelf, specified separately Optional 1/2 and 3/4 height back panels options listed below One optional grommet center rear | 48 x 24 x 29" | KDA4824.H | □□□ | □□□ | □□□□ | □□□ | 95.0# |
| | | 60 x 24 x 29" | KDA6024.H | □□□ | □□□ | □□□□ | □□□ | 110.0# |
| | | 72 x 24 x 29" | KDA7224.H | □□□ | □□□ | □□□□ | □□□ | 120.0# |
| | | 84 x 24 x 29" | KDA8424.H | □□□ | □□□ | □□□□ | □□□ | 130.0# |
| | | | | | | | | |
|  <p>ARSPD</p> | Desk Shells-30" Option A - Two Full End Panels <ul style="list-style-type: none"> Back panel features horizontal grain pattern Recessed center support panel included with desk shells 78" or wider Optional desk shelf, specified separately Optional 1/2 and 3/4 height back panels options listed below One optional grommet center rear | 60 x 30 x 29" | KDA6030.H | □□□ | □□□ | □□□□ | □□□ | 125.0# |
| | | 72 x 30 x 29" | KDA7230.H | □□□ | □□□ | □□□□ | □□□ | 140.0# |
| | | 84 x 30 x 29" | KDA8430.H | □□□ | □□□ | □□□□ | □□□ | 157.0# |
| | | | | | | | | |
|  <p>ARDSI</p> | Desk Shells-Inset Back Panel Option A - Two Full End Panels <ul style="list-style-type: none"> Full height back panel is inset 6" on 30" deep desks and 12" on 36" deep desks Back panel features horizontal wood grain Recessed center support panel included with desk shells 78" or wider Standard without grommets Notch option enables an inline transition from a larger depth worksurface to a 6" shorter depth | 60 x 30 x 29" | KDAI6030.H | □□□ | □□□ | | | 125.0# |
| | | 72 x 30 x 29" | KDAI7230.H | □□□ | □□□ | | | 140.0# |
| | | | | | | | | |

Back Panel Height Options
FULL - Full height (standard)
2Q - 1/2 height back panel
3Q - 3/4 height back panel

TRANSPIRE CASEGOODS




Classic Storage - Overheads

| MODEL | Features | W x D x H | MODEL NUMBER | | | Approx. Packaged Weight |
|--|--|-----------------------|--|--|--|-------------------------|
| | | | Basic Model | Horizontal Surface Finish | Vertical Surface Finish | |
|  <p>AROVD</p> | Closed Overhead, 43" High <ul style="list-style-type: none"> • 24" clearance above desktop and 72" installed height • 13-3/4" internal height clearance • Full-width concealed cable pass through 1-3/4" high • 48" and wider units feature center divider • Pulls cannot be specified • Cutaway gable option should only be specified in side-to-side overhead applications, as standalone units are not stable with cutaway gables | 4 doors 60 x 16 x 43" | KOD6043.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 155.0# |
| | 4 doors 72 x 16 x 43" | KOD7243.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 180.0# | |

| MODEL | W x D x H | MODEL NUMBER | | | Approx. Packaged Weight | |
|--|---|---------------|--|--|--|--------|
| | | Basic Model | Horizontal Surface Finish | Vertical Surface Finish | | |
|  <p>AROVD</p> | Overhead-43" High, Sliding Frosted Acrylic Doors <ul style="list-style-type: none"> • 24-1/2" clearance above desktop and 43" high • 13-3/4" internal height clearance • Full-width concealed cable pass through 1-3/4" high • Lock option not available • Aluminum knob pulls standard • Cutaway gable option should only be specified in side-to-side overhead applications, as standalone units are not stable with cutaway gables | 60 x 16 x 43" | KOSD6043.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 170.0# |
| | 72 x 16 x 43" | KOSD7243.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 195.0# | |


TRANSPIRE CASEGOODS

Classic Storage

| | MODEL | W x D x H | MODEL NUMBER | | | Approx. Packaged Weight |
|--|---|---------------|--------------|--|--|-------------------------|
| | | | Basic Model | Horizontal Surface Finish | Vertical Surface Finish | |
|  <p>ARHPD</p> | Bookcase 36" Wide-One Adjustable Shelf, One Fixed Shelf • Shelf finish matches shell (vertical surface finish) | 36 x 14 x 29" | KBC3629.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 60.0# |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
|  <p>ARHPD</p> | Bookcase 36" Wide-Two Adjustable Shelves, One Fixed Shelf • Shelf finish matches shell (vertical surface finish) | 36 x 14 x 48" | KBC3648.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 85.0# |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
|  <p>ARHPD</p> | Bookcase 36" Wide-Four Adjustable Shelves, One Fixed Shelf • Shelf finish matches shell (vertical surface finish) | 36 x 14 x 65" | KBC3665.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 120.0# |
| | | 36 x 14 x 72" | KBC3672.H | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | 135.0# |
| | | | | | | |
| | | | | | | |
| | | | | | | |


TRANSPIRE OPTIONS

Pulls



Rectangular Silver

Edges



1" Flat

Finishes

Metal Leg Finishes



Black (BL)



Starlight Silver (SX)

Surface Finishes




Kensington Maple (LKM)



Monticello Maple (LMT)



Cocobala (LCC)



Sunset (LSU)



Copacabana (LCP)



White (LWT)



Dolce Vita (LDV)

Edge banding matches the laminate finish.

LEGION PANEL SYSTEMS

Contact a sales representative to set up a consultation meeting.
Available in wide range of configurations and finishes.



TASK & CONFERENCE SEATING



ON SLOW

- Height or height & width adj T-arms, armless
- Synchronous tilt/recline
- Free-floating or 5-position back lock
- Adjustable lumbar support
- Optional headrest
- Thick, contoured seat cushion

| Model Number | Description |
|----------------|---|
| 65-ONSLOW-CS | ONSLOW TASK CHAIR WITH HEIGHT ADJUSTABLE ARMS, NO HEADREST |
| 65-ONSLOWHR-CS | ONSLOW TASK CHAIR WITH HEIGHT ADJUSTABLE ARMS, WITH HEADREST |
| 65-ONSLOWNA-CS | ONSLOW TASK CHAIR , NO HEADREST, NO ARMS (65-ONSLOW W/O ARMS) |



BREATHE JR

- Height or height & width adj T-arms, armless
- Synchronous tilt/recline
- Free-floating or 3-position back lock
- Adjustable lumbar support
- Thick, contoured seat cushion

| Model Number | Description |
|------------------|---|
| 65-BREATHJR-CS | BREATHE JR. TASK CHAIR WITH HEIGHT ADJUSTABLE ARMS, NO HEADREST |
| 65-BREATHJRAW-CS | BREATHE JR. TASK CHAIR WITH HEIGHT/WIDTH ADJUSTABLE ARMS, NO HEADREST |
| 65-BREATHJRNA-CS | BREATHE JR. TASK CHAIR, NO ARMS, NO HEADREST |



SITKA

- Cantilever arms or armless
- Perfect Pivot™ ergonomic back articulation
- Upholstered seat/poly back

| Model Number | Description |
|------------------|---|
| 65-SITKACCWA-CS | SITKA TASK CHAIR WITH ARMS, WITH CARPET CASTERS |
| 65-SITKAHFCWA-CS | SITKA TASK CHAIR WITH ARMS, WITH HARD FLOOR CASTERS |
| 65-SITKACCNA-CS | SITKA TASK CHAIR, NO ARMS, WITH CARPET CASTERS |
| 65-SITKAHFCNA-CS | SITKA TASK CHAIR, NO ARMS, WITH HARD FLOOR CASTERS |






ALT3 CONFERENCE

- Integral fixed loop arms
- Simple tilt mechanism with upright lock
- Upholstered seat with mesh back

| Model Number | Description |
|--------------|---|
| 65-ALT3LA-CS | ALT3 MID BACK CONFERENCE CHAIR KIT WITH FIXED LOOP ARMS |

TREK FLIP-TOP TABLES


Flip-Top

| | | | | MODEL NUMBER | | | Approx. Packaged Weight |
|--|--|--|--------------------------|--|--------------------------|--------|-------------------------|
| MODEL | Features | A x B x C x D | Basic Model | Surface Finish | Base Finish | | |
|  <p>TFP</p> | Square Tables, X Base • Will ship standard with the connecting bar (allowing for one hand flipping) | X Base 30 x 30" | TS25FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 57.0# | |
| | | X Base 36 x 36" | TS3FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 71.0# | |
|  <p>TFP</p> | Round Tables, X Bases • Will ship standard with the connecting bar (allowing for one hand flipping) | X Base 30" Diameter | TR25FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 50.0# | |
| | | X Base 36" Diameter | TR3FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 61.0# | |
|  <p>TFP</p> | Rectangular Tables, T Base • Will ship standard with the connecting bar (allowing for one hand flipping) | T Base 24 x 48" | T24FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 76.0# | |
| | | T Base 24 x 60" | T25FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 86.0# | |
| | | T Base 24 x 72" | T26FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 96.0# | |
| | | T Base 30 x 48" | T254FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 86.0# | |
| | | T Base 30 x 60" | T255FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 98.0# | |
| | | T Base 30 x 72" | T256FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 111.0# | |
| | | T Base 36 x 48" | T34FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 96.0# | |
| | | T Base 36 x 60" | T35FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 111.0# | |
| T Base 36 x 72" | T36FT | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | 126.0# | | | |



PIROUETTE NESTING TABLES



Nesting Top-Rectangular-29" High (Training)

| | | MODEL NUMBER | | |
|--|-----------------|--------------|---|---|
| | | Basic Model | Surface Finish | Leg Finish |
|  | Features | A x B | | |
| | T Base | 24 x 30" | PINR2430T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| | T Base | 24 x 36" | PINR2436T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| | T Base | 24 x 42" | PINR2442T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| | T Base | 24 x 48" | PINR2448T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| | T Base | 24 x 60" | PINR2460T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| | T Base | 24 x 72" | PINR2472T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| PINT | | | | |
| Rectangular Tables - 24"D | | | | |
| <ul style="list-style-type: none"> • Tables are designed for maximum leg spacing for length of table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Nesting base at 29" high | | | | |
| PINT | | | | |
| Rectangular Tables - 30"D | | | | |
| <ul style="list-style-type: none"> • Tables are designed for maximum leg spacing for length of table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Nesting base at 29" high | | | | |
| T Base | 30 x 36" | PINR3036T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 30 x 42" | PINR3042T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 30 x 48" | PINR3048T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 30 x 60" | PINR3060T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 30 x 72" | PINR3072T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| PINT | | | | |
| Rectangular Tables - 36"D | | | | |
| <ul style="list-style-type: none"> • Tables are designed for maximum leg spacing for length of table • Chrome bases will have polished aluminum foot covers and polished aluminum vertical wire managers (when applicable) • Gangers ordered separately • Nesting base at 29" high | | | | |
| T Base | 36 x 36" | PINR3636T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 36 x 42" | PINR3642T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 36 x 48" | PINR3648T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 36 x 60" | PINR3660T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |
| T Base | 36 x 72" | PINR3672T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | |



TOGGLE ADJUSTABLE TABLES





Dual Motor Electric Base

| MODEL | A x B x C | MODEL NUMBER | | |
|---|------------------|--------------|---|---|
| | | Basic Model | Surface Finish | Base Finish |
|  <p>Rectangular Dual Motor Electric Base Tables - 24" D</p> <ul style="list-style-type: none"> • 26-52" Electrically adjustable • Simple up/down switch • Maximum operating load varies • 3-Stage base | 23-1/2 x 46-1/2" | TOGL2448EL | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> |
| | 23-1/2 x 58-1/2" | TOGL2460EL | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> |
| | 23-1/2 x 70-1/2" | TOGL2472EL | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> |
|  <p>Rectangular Dual Motor Electric Base Tables - 30" D</p> <ul style="list-style-type: none"> • 26-52" Electrically adjustable • Simple up/down switch • Maximum operating load varies • 3-Stage base | 29-1/2 x 46-1/2" | TOGL3048EL | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> |
| | 29-1/2 x 58-1/2" | TOGL3060EL | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> |
| | 29-1/2 x 70-1/2" | TOGL3072EL | <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> |



TOGGLE SQUARE SHOE ADJ. DESKS





Triple Motor Electric Base

| MODEL | A x B x C | MODEL NUMBER | | |
|---|---------------|--------------|--------------------------|--------------------------|
| | | Basic Model | Surface Finish | Base Finish |
|  <p>Square Shoe Triple Motor Electric Base Tables (Left) - 24"D</p> <ul style="list-style-type: none"> • 26-52" Electrically adjustable • Simple up/down switch • Maximum operating load varies (see chart below) • 3-Stage base • Includes two modesty panel appropriately sized for each non-user side of the table when specified | 24 x 60 x 48" | TOGLSS246048 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 24 x 66 x 48" | TOGLSS246648 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 24 x 72 x 48" | TOGLSS247248 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 24 x 84 x 48" | TOGLSS248448 | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | |
|  <p>Square Shoe Triple Motor Electric Base Tables (Right) - 24"D</p> <ul style="list-style-type: none"> • 26-52" Electrically adjustable • Simple up/down switch • Maximum operating load varies (see chart below) • 3-Stage base • Includes two modesty panel appropriately sized for each non-user side of the table when specified | 24 x 48 x 60" | TOGLSS244860 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 24 x 48 x 66" | TOGLSS244866 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 24 x 48 x 72" | TOGLSS244872 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 24 x 48 x 84" | TOGLSS244884 | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | |
|  <p>Square Shoe Triple Motor Electric Base Tables (Left) - 30"D</p> <ul style="list-style-type: none"> • 26-52" Electrically adjustable • Simple up/down switch • Maximum operating load varies (see chart below) • 3-Stage base • Includes two modesty panel appropriately sized for each non-user side of the table when specified | 30 x 60 x 48" | TOGLSS306048 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 30 x 66 x 48" | TOGLSS306648 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 30 x 72 x 48" | TOGLSS307248 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 30 x 84 x 48" | TOGLSS308448 | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | |
|  <p>Square Shoe Triple Motor Electric Base Tables (Right) - 30"D</p> <ul style="list-style-type: none"> • 26-52" Electrically adjustable • Simple up/down switch • Maximum operating load varies (see chart below) • 3-Stage base • Includes two modesty panel appropriately sized for each non-user side of the table when specified | 30 x 48 x 60" | TOGLSS304860 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 30 x 48 x 66" | TOGLSS304866 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 30 x 48 x 72" | TOGLSS304872 | <input type="checkbox"/> | <input type="checkbox"/> |
| | 30 x 48 x 84" | TOGLSS304884 | <input type="checkbox"/> | <input type="checkbox"/> |
| | | | | |



VINI PEDESTAL FILES





Mobile

| | MODEL | Features | W x D x H | MODEL NUMBER | | | | Approx. Packaged Weight |
|---|--|--------------|------------------------|--------------|--------------------------|-------------|------------|-------------------------|
| | | | | Basic Model | Unit Color | Lock Option | Pull Style | |
|  | Pedestal - BBF <ul style="list-style-type: none"> Two 6" box drawers One 12" file drawer 5th wheel eliminates need for counterbalance weight Optional dividers sold separately | Mobile | 15 x 17-5/8" x 27-5/8" | VIN1520MBBF | <input type="checkbox"/> | KS | USP | 49.0# |
| | | Mobile | 15 x 21-5/8" x 27-5/8" | VIN1524MBBF | <input type="checkbox"/> | KS | USP | 51.0# |
| | | | | | | | | |
|  | Pedestal - FF <ul style="list-style-type: none"> Two 12" file drawers Counterbalance weight included Optional dividers sold separately | Mobile | 15 x 17-5/8" x 27-5/8" | VIN1520MFF | <input type="checkbox"/> | KS | USP | 79.0# |
| | | Mobile | 15 x 21-5/8" x 27-5/8" | VIN1524MFF | <input type="checkbox"/> | KS | USP | 71.0# |
| | | | | | | | | |
|  | Pedestal - BBF <ul style="list-style-type: none"> Features 2-5/8" non-adjustable glides Two 6" box drawers One 12" file drawer Center caster eliminates need for counterbalance weight Optional dividers sold separately | Freestanding | 15 x 17-5/8" x 27-5/8" | VIN1520FBBF | <input type="checkbox"/> | KS | USP | 49.0# |
| | | Freestanding | 15 x 21-5/8" x 27-5/8" | VIN1524FBBF | <input type="checkbox"/> | KS | USP | 51.0# |
| | | | | | | | | |
|  | Pedestal - FF <ul style="list-style-type: none"> Features 2-5/8" non-adjustable glides Two 12" file drawers Counterbalance is included Optional dividers sold separately | Freestanding | 15 x 17-5/8" x 27-5/8" | VIN1520FFF | <input type="checkbox"/> | KS | USP | 79.0# |
| | | Freestanding | 15 x 21-5/8" x 27-5/8" | VIN1524FFF | <input type="checkbox"/> | KS | USP | 71.0# |
| | | | | | | | | |



VINI LATERAL FILES

Lateral Files

| | MODEL | W x D x H | MODEL NUMBER | | | | Approx. Packaged Weight |
|---|---|-------------------|--------------|--------------------------|-------------|------------|-------------------------|
| | | | Basic Model | Unit Color | Lock Option | Pull Style | |
|  | 27" File, 2 High • Two 12" drawers with side-to-side hanging folder bars • Counterbalance weights are recommended for freestanding units | 30 x 18 x 27" | VL302D | <input type="checkbox"/> | KS | USP | 110.0# |
| | | 36 x 18 x 27" | VL362D | <input type="checkbox"/> | KS | USP | 120.0# |
| | | 42 x 18 x 27" | VL422D | <input type="checkbox"/> | KS | USP | 130.0# |
| | | | | | | | |
|  | 39-1/4" File, 3 High • Three 12" drawers with side-to-side hanging folder bars • Counterbalance weights are recommended for freestanding units | 30 x 18 x 39-1/4" | VL303D | <input type="checkbox"/> | KS | USP | 140.0# |
| | | 36 x 18 x 39-1/4" | VL363D | <input type="checkbox"/> | KS | USP | 155.0# |
| | | 42 x 18 x 39-1/4" | VL423D | <input type="checkbox"/> | KS | USP | 170.0# |
| | | | | | | | |
|  | 51-1/2" File, 4 High • Four 12" drawers with side-to-side hanging folder bars • Counterbalance weights are recommended for freestanding units | 30 x 18 x 51-1/2" | VL304D | <input type="checkbox"/> | KS | USP | 180.0# |
| | | 36 x 18 x 51-1/2" | VL364D | <input type="checkbox"/> | KS | USP | 200.0# |
| | | 42 x 18 x 51-1/2" | VL424D | <input type="checkbox"/> | KS | USP | 220.0# |
| | | | | | | | |
|  | 63-3/4" File, 5 High • One 12" receding door with rollout shelf and 3 plate dividers • Four 12" drawers with side-to-side hanging folder bars • Counterbalance weights are recommended for freestanding units | 30 x 18 x 63-3/4" | VL305RD | <input type="checkbox"/> | KS | USP | 230.0# |
| | | 36 x 18 x 63-3/4" | VL365RD | <input type="checkbox"/> | KS | USP | 250.0# |
| | | 42 x 18 x 63-3/4" | VL425RD | <input type="checkbox"/> | KS | USP | 270.0# |
| | | | | | | | |



STANDARD COLOR OPTIONS


POWDERCOAT & MOLDED PLASTIC




COTTONWOOD
CO



SAND
SA




LIGHT TONE
LG




COOL GREY
CG



WARM GREY
WG



BLUE GREY
GR



BLACK
BL

CORRECTIONENTERPRISES.COM | 800.241.0124 | 919.716.3600

RALEIGH OFFICE AND SHOWROOM | 2020 Yonkers Road | Raleigh, NC 27604



Correction Enterprises is a self-supported State agency within the NC Department of Adult Correction.